



MARTIN MAQ®

MAQUINARIA HORTICOLA
VEGETABLE HANDLING SYSTEMS

WASHER – PEELER – CUTTER LPC 6



M

Machinery manufactured in stainless steel following the best quality standards, providing the best finish and resistance.

M

More than 80 types of machines for processing all types of vegetables such as potatoes, carrots and fruit, unique Design. Do not settle for mere copies.

A

Aadjustable in length, width and height with numerous sizes and designs to always provide the right solution to your needs.

Q

Quality, design and efficiency in all our machines to extend their working life and make your work as easy as possible.




The **Martin Maq Washer – Peeler – Cutter LPC 6** is a machine designed to wash the product (leeks and spring onions mainly), peel the outer leaves and cut the upper end of the leaves that can not be used.

Inside it has pressure water sprays, high precision blades and rotating “fingers” that peel dry leaves.

Adjustable in speed and cutting length and adequate for a capacity of 2.000 to 4.000 units per hour.



IMPORTANT PARTS OF THE MACHINE




- A:** Exit Conveyor.
- B:** Structure made of stainless Steel.
- C:** Electric board included. With a Speed drive controller for the main motor.
- D:** Entry conveyor with single clamps to fix better the product.
- E:** Plates to avoid splashes.
- F:** Adjustable legs.
- G:** Two axels with “fingers” and parallel brushes to eliminate the outer layers of the product.
- H:** Leave cutting blades. Other sets of blades optional.
- I:** Pressure water sprays for washing the product.



NOTE: This machine can be purchased with a water recycling deposit.

TECHNICAL SPECIFICATIONS

LAVADORA-CORTADORA-PELADORA LPC 6	L: 4.306 mm + TRANSP. SALIDA W: 1.250 mm H: 1.750 mm
	

- Specially designed for **leeks and spring onions**.
- Entry conveyor with placing device to support product.
- Capacity: between 2.000 and 4.000 units.
- Water consumption: between 10 and 20 m³ /hour.
- Protection side mesh following safety rules and regulations.
- Automatic and manual devices for the correct working of the machine.
- Power: 2.3 KW
- Weight 900 Kg (depending on options).
- CE Marking
- Mechanisms totally closed to avoid any danger.
- Electric board included.
- Exit conveyor of 4,5,6,7,8 or meters.
- Water recycling deposit optional, that includes pump.

At **MARTIN MAQ** we know that you take great care of your product.

We know that this requires much effort and dedication. This is why we always place all our efforts in designing and manufacturing machines that will help you process your product efficiently, giving it the best possible finish.

We build all our machines to the highest of quality standards, making maintenance very easy and extending the machine's working life.

We have, at your disposal, an after-sales technical team that will assist you with any doubts that you may have during use and will inform you about how to care for your machine and keep maintenance as low as possible.

AFTER-SALES SERVICE

**ALWAYS REQUEST
ORIGINAL
MARTIN MAQ
SPARE PARTS**



I+D+I



FABRICACIÓN

**SERVICIO
POST VENTA**



REPUESTOS



MARTIN MAQ
Autovía A-601, Exit 91
40291 TABANERA LA LUENGA
Segovia (SPAIN)

T: +34-921-122 122
F: +34-921-57 70 88
e-mail: martinmaq@martinmaq.com
www.martinmaq.com

MARTIN MAQ Distributor:

