


**HORIZONTAL CONVEYOR MOD. TFH**



# M

**M**achinery manufactured in stainless steel following the best quality standards, providing the best finish and resistance.

# M

**M**ore than 80 types of machines for processing all types of vegetables such as potatoes, carrots and fruit, unique design. Do not settle for mere copies.

# A

**A**adjustable in length, width and height with numerous sizes and designs to always provide the right solution to your needs.

# Q

**Q**uality, design and efficiency in all our machines to extend their working life and make your work as easy as possible.




The **Martin Maq Horizontal Conveyors Mod. TFH** are made of PVC and can be used to transport the product from one machine to another. The band slides over rectangular tubes.


Adequate for potatoes, carrots, turnips, etc. and are very easy to assemble. They are appropriate when very small amounts need to be carried and they require very little space. All the conveyors have adjustable legs (height and inclination) and are easily adaptable to any existing line.

They can carry any type of product, before or after washing and polishing (wet or dry). Tensors are placed at the beginning and end of the conveyors, that keep the band in place.

Different sizes and lengths. The power of the motor will be adapted to different customer needs.



## IMPORTANT PARTS OF THE MACHINE



**A:** Motor (calculated for each individual case regarding power and speed required).

**B:** PVC Band (height will depend on product) adequate for any type of product, wet or dry, highly resistant and long lasting specially when the product is received with mud, etc.

**C:** Strong, built in stainless steel.

**D:** Tensors either side of the conveyor.

**NOTE:** All conveyor can be used by themselves, with adjustable legs, be fixed to a platform, o act as a complement to other machines, such as graders, small waste elimination systems.

## **TECHNICAL SPECIFICATIONS**

### **HORIZONTAL CONVEYORS MODELS TFH**

- Motor with power from 0,125 kW to 2 kW, with the possibility of incorporating motors with speed adjusters.
- Lengths: 1 m, 1.5 m, 2 m and, as from 2 m, any size, i.e. 3 m, 4m, 5m, ...
- Width: 0.2 m, 0.4 m, 0,6 m, 0.8 m, 1 m, 1.2 m and 1.5 m.
- Rubber ribbed band (different height of rib depending on product).
- Cleaning lock-gates.
- CE Marking.

### **AVAILABLE OPTIONS**

- Adjustable legs
- Non-fall system to be used when product is fed from the side.

At **MARTIN MAQ** we know that you take great care of your product.

We know that this requires much effort and dedication. This is why we always place all our efforts in designing and manufacturing machines that will help you process your product efficiently, giving it the best possible finish.

We build all our machines to the highest of quality standards, making maintenance very easy and extending the machine's working life.

We have, at your disposal, an after-sales technical team that will assist you with any doubts that you may have during use and will inform you about how to care for your machine and keep maintenance as low as possible.

## AFTER-SALES SERVICE

\*\*\*\*

**ALWAYS REQUEST  
ORIGINAL  
MARTIN MAQ  
SPARE PARTS**



**I+D+I**



**FABRICACIÓN**

**SERVICIO  
POST VENTA**



**REPUESTOS**



**MARTIN MAQ**  
Autovía A-601, Exit 91  
40291 TABANERA LA LUENGA  
Segovia (SPAIN)

T: +34-921-122 122  
F: +34-921-57 70 88  
e-mail: [martinmaq@martinmaq.com](mailto:martinmaq@martinmaq.com)  
[www.martinmaq.com](http://www.martinmaq.com)

MARTIN MAQ Distributor:

